


# RE400T



Fabric Description					
Gurit Style	Unit	Width (mm)	Finish	Weave	Nominal g/sqm
RE400T	sq.m	1250	EpPe	2x2 twill	390

Fabric Construction								
Warp				Weft				
Filament type	Fibre tex	Count ends/cm	Theoretical g/sqm	Filament type	Fibre tex	Count ends/cm	Theoretical g/sqm	Notes
E-glass	68	29.5	204	E-glass	136	13.0	180	Feathered edges

The policy of Gurit is one of continual development and improvement. Gurit reserves the right to alter specifications and prices without prior notice. Any information or advice obtained from Gurit by other means and whether relating to Gurit material or other materials, is given in good faith. However, it remains the responsibility of the customer to ensure that Gurit materials are suitable for the particular purpose intended.